



NOTES:

1. MAINTAIN MATERIAL FOR STANDARD SEWER CLEANOUT PLUG. PLUG TO BE PVC FOR A PVC LATERAL AND BRASS FOR A D.I. LATERAL.
2. CLEANOUT BOX AND LID INSTALLED IN LANDSCAPE AREAS TO BE OLDCASTLE GREEN FLUSH HDPE 13" X 24" LIGHT DUTY 1324 CLEANOUT AND GREEN FLUSH SOLID COVER WITH FULTON COUNTY LOGO AND "SEWER CLEANOUT" ON THE COVER OR APPROVED EQUIVALENT.
3. CLEANOUT BOX AND LID INSTALLED IN RESIDENTIAL DRIVEWAYS AND ALL SIDEWALKS TO BE E J GROUP, INC. 1621Z 1621A ASSEMBLY PRODUCT NUMBER 00162121A01 OR APPROVED EQUIVALENT.
4. CLEANOUT BOX AND LID INSTALLED WITHIN COMMERCIAL PAVEMENT OR WITHIN THE STREET PAVEMENT TO BE US FOUNDRY 7635 VALVE BOX AND ACCESS COVER WITH COVER TYPE FU OR APPROVED EQUIVALENT.

NOTES

1. IF THE RISER IS GREATER THAN 6'-0" THE JOINT WILL BE ENCASED IN 6" OF 1:3.5 CONCRETE.
2. MAINTAIN MATERIAL: USE PVC LATERAL WITH PVC MAIN AND USE D.I. LATERAL WITH D.I. MAIN INCLUDING T-WYE.

FULTON COUNTY STANDARD DETAIL 711
SEWER LATERAL INSTALLATION
DETAILS FOR CURBED STREETS

DATE	REVISIONS	DATE	REVISIONS
8/08	NRR		
1/18	TPM		

DGS/DRN/CHKD: REB
APPROVED: REW
DATE: 12-2-05



FULTON COUNTY PUBLIC WORKS
141 PRYOR ST. ATLANTA, GA. 30303
404-612-7400 FAX: 404-224-0498

DRAWING NO.
711